



说 书
D39
电 仪





()

	<h3>注意静电</h3>
<p>1 严禁带电插拔</p>	<p>请先切断电源,并等待5秒后再进行电气设备连接</p>

	<h3>警告</h3>

	<h3>注意静电</h3>
<p>在使用与维护中注意采取防静电措施</p>	<p>本产品属静电敏感设备</p>

录

.....	1
.....	2
.....	2
.....	2
.....	2
.....	3
.....	3
.....	4
.....	4
.....	4
.....	4
.....	5
.....	5
.....	6
.....	7
.....	7

A

1 D39
2 n=3000
3 pi =0.5
4
 RS485
 12 30
 9600 19200bps
 DC12~14.8V
 16
 C E K
5 7inch 800*480TFT
6
7
8 ()
 RS232
 600bps
9 ()
 RS232 RS485
 2400/4800/9600/19200/38400/115200bps
10 ()
11 USB ()
 4G U

12 ()

	EPSON LQ-300K	EPSON LQ-
300K EPSON LQ-680K	EPSON LQ-730K	EPSON LQ-
1600K KX-P1131	KX-P1121 DS-	
300	POS58	AB-300K

13



1000	4000	300
6		

14

AC110~220V 50~60HZ
-10°C ~ 40°C
-25°C ~ 55°C
M0, N - K


15 (* *) 318*218*100(mm)

16 2.900kg





0



:



:



:



:



:



,

A

0

B:

A
B


,

0

1



2



3

“ ”

A

2015-03-05

0004	20:44:3 6	00001	001	(t) 1.000	(t) 0.100	(t) 0.900
0005	20:45:0 0	00002	001	1.000	0.100	0.900
0006	20:45:1 0	00003	001	1.000	0.100	0.900
:		7.003 t		4.603 t		

<<



地址：宁波市江北投资创业园C区 长兴路199号
服务热线：400-887-4165

传真：0574-87562271
物联网手机APP二维码
邮编：315033



柯力公司网站



网址: <http://www.kelichina.com>