



**D30-1Li**




□1□

1	DC+12V	19200 bps							
	RS485	1 4	E	K				30m	
2	1.2								
3		RS232	600	19200					
4			RS232		600bps				
5									
		EPSON	POS58						
6									
7	0	40		85	RH				
8		10	60			95	RH		
9		240mm	× 155mm	× 155mm	×	×			
10		1.6kg							

E K




RS232



PC

RS232

1.RS232



2.

8                    /↑            /↓            /←            /→                    /

/

1.

/↑  
/↓  
/←  
/→  
/  
/

1

↑  
↓  
←  
→

2

1  
1



1

0 9

“Err

01”

2

a

/

b

±5

/

3

/

“0”

“ ”

“ ”

“ ”

/

“ ”

“ ”

4□

a

5

“ ”

“

”

2

“n

\*” 3

5

b

/→

“CLEAR

0”

“1”

“0”

5

B

6

--	--	--	--





	/		
5	/	<b>L***** L001000</b>	

**Err 01**

1 2 3

4

**Err 02**

1 5 5 2 3 4

**Err 03**

**Err 04**

**Err 05**

**Err 06**

**Err 17**

1 2 3 0

**Ecc 01~04** n  
**Lo Bat**

**A:**

8 3 TF

(1). 2(TF=1) A9 ( ) 999999

12

X				( 20.00 )
1		(XON)	02	XON 02
2	+ -		2B/2D	+ 2B
3			30 39	0 30
4			30 39	0 30
5			30 39	2 32
6			30 39	0 30
7			30 39	0 30
8			30 39	0 30
9		0 4	30 34	2 32
10				31
11				3b
12		XOFF	03	0x1B XOFF 03

(2). 2 3 .....8 9  
1(TF=2) D2+  
ASCII "="\_ 9

5 5.88100=5.881000=..... -1885 .588100- 188.  
=.588100=-.....

(3). 5(TF=3)  
ASCII "="\_ 8

5 5.88100=5.88100=..... -1885 .58810- 188.  
=.58810=-.....



(4).

3 (TF=4)

T800

4 (TF=5)

T800

10 1 10 8 ;

2																	
StX	A	B	C	X	X	X	X	X	X	X	X	X	X	X	X	CR	CKS
1	2		3			4				5	6						

1. <StX> ASCII (02H)
2. A, B, C
3. . 6
4. 6
5. <CR> ASCII (ODH)
6. <CKS>

A			
Bits 0, 1, 2			
0	1	2	
0	0	0	KGKG00
1	0	0	KGKGX0
0	1	0	KGKGKG
1	1	0	KGKGX.X
0	0	1	KGKG.KG
1	0	1	KGX.KGX
0	1	1	KG.KGKG
1	1	1	X.KGKGX
Bits 3, 4			
3	4		
1	0		X1
0	1		X2
1	1		X5
Bit 5			1
Bit 6			0

B	
Bits	
Bit 0	= 0, = 1
Bit 1	: = 0, = 1
Bit 2	( ) = 1
Bit 3	= 1
Bit 4	: kg = 1
Bit 5	1
Bit 6	1

C	
Bit 0	0
Bit 1	0
Bit 2	0
Bit 3	= 1
Bit 4	(X10) = 1
Bit 5	1
Bit 6	0



**B**

	0001
	2012.12.12
	10.10.10
	10000kg
	2000kg
	8000kg

	2012.12.12
	10.10.10
	21000kg
	5



**C**

199

400-887-4165

0574-87562271

315033

<http://www.kelichina.com>