

D2008型 电子称重仪表 使用说明书

2018年3月版

- 请 细 阅 读 产 说 书
- 请 产 说 书 备 查 阅

录

术	1
规 说	2
动	2
动	2
.....	2
.....	2
时间查询 设	2
记录 储	2
记录 储	2
. 车 设	3
车 查	3
. 记录	3
. 细报	4
记录 查询	4
记录 车 删	5
查询	5
.....	5
录 A 举	6
录 B 细 统计报	7

1 D2008 (D+ DP+ DP1+) + □

2

RS485

12

30

9600 19200bps

DC12~14.8V

16

C E K

3

7 LED 7

4

0 ~ 9

24 10

5

6

RS232

600bps

7

RS232

600/1200/2400/4800/9600/19200

8

EPSON LQ-300K EPSON

LQ-300K EPSON LQ-680K EPSON LQ-730K EPSON LQ-1600K KX-P1131 KX-P1121 DS-

300 DS1900 POS58 WH-T2AR10-
00ABPB AB-
300K P * 57mm× 30
P1 * 44mm× 40

9

1000 1500 300
6

10

AC110~220V 50~60HZ

DC 12V
-10°C ~ 40°C
-25°C ~ 55°C

85%RH

A 0

B: P*****

A , Pn
B 0

1		d12.05.13	
2		d12.05.13	
3	120515	d12.05.15	
4		d09.08.15	
5		t12.53.48	
6		t12.53.30	
7	125345	t12.53.45	
8		t12.53.45	
9			

1 5 00001~99999 3 0~255
 2 1500
 3
 ① 1
 ② 1 0 2
 ③ 1 2 2 2 2

2
2

00001 99999

2
② ③

00000

00000
②

00000

5

5

A

6

0

Err 19

7

- ①
- ②
- ③
- ④

- a)
- b)
- c)

0

1000

1.

*

1			
2		o ***** o 35790	35790
3		P ***** P 01000	1000()
4			

•

1

2

1

2

3

4

5

2

LoAd

①

0

②

0

③

•

00	
01	
02	
03	
04	

1

1		Pb 00	
2		Print	

2

1		Pb 00	
2	01	Pb 01	“01”
3		d00.00.00	
4	120520	d12.05.20	12 5 20
5		Print	

3

1		Pb 00	
2	02	Pb 02	“02”
3		d00.00.00	
4	40101	d12.05.20	12 5 20
5		d00.00.00	
6	40101	A12.05.20	12 5 20
7		Print	

4

1		Pb 00	
2	03	Pb 03	“03”
3		o 00000	
4	00123	o 00123	“00123”
5		Print	

5

1		Pb 00	
2	04	Pb 04	“04”
3		hn * **	
4	123	hn 123	“123”
5		Print	

1

Code ,
rEAd 1
rEAd 3

kl

rEAd 2
rEAd 6

rEAd 00

S-
/

1		S-CodE	
2	111111	S- - - - -	“111111”
3		SurE 0	1: 2: 3:
4	1	SurE 1	
5		---- PASS

0

1	-----	
2	Print	
3	Load	
4	End	
5	PASS	
6	Lo bAt	
7	-	10.2V
8	SAvE	
9	-	

1	--S--	
2	S-CodE	"11111"
3	C-CodE	
4	d-CodE	

A

1			P000.000	
2		1000	P001.000	1.000
3			- 1.000	/
4		1 2	o *****	
5		00123	o 00123	00123
6			hn ***	
7		001	hn 001	001
8			Print	

4

1~3

1		1	o *****	
2		00123	o 00123	00123
3			hn ***	
4		011	hn 011	011
5			Print	

0

1		2	o *****	
2		00123	o 00123	
3			hn ***	
4		011	hn 011	
5			LoAd	1.5
6		2	o *****	“ 2
7			hn ***	“ 4

Auto

HL

L

B

()

				(t)	(t)	(t)		
0001	05	20	06	00001	003	2.003	1.000	1.003
0002	05	20	21	00123	004	1.000	1.000	0.000
0003	05	20	41	00001	010	1.000	0.100	0.900
0004	05	20	44	00001	001	1.000	0.100	0.900
0005	05	20	45	00001	050	1.000	0.100	0.900
0006	05	20	45	00002	06	1.000	0.100	0.900
				7.003 t		4.603		

: D2008 (D+ DP+ DP1+)

