

D20-W

2019 9

	1
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
.	3
	3
.	3
.	4
	4
	5
	5
	5
A	6
B	7

()

1

D20-W

2

RS485

12

30

9600 19200bps

DC12~14.8V

16

C E K

3

7 LED 7

4

0 ~ 9

24 10

5

6

()

RS232

600bps

7

()

RS232, RS485(D2008 (FJ+))

600/1200/2400/4800/9600/19200

8

()

EPSON LQ-300K

EPSON LQ-300K

EPSON

LQ-680K

EPSON LQ-730K

EPSON LQ-1600K

KX-P1131

KX-P1121

DS-300

DS1900

FP560K

LQ-350K

POS58

WH-T2AR10-00ABPB

AB-300K

9

1000

3500

300

10

6

AC110~220V 50~60HZ

DC 12V

0 ~ 40

-25 ~ 55

85%RH

--S--

- 3
- 4
- a)
- b)
- c)

0

1000

1. *


1			
2		o *****	
3	35790	o 35790	
4		P *****	
5	01000	P 01000	1000()
6		PASS	

2.

>20d

3.

5

1		S-CodE	
2	111111	S-----	" 111111"
3		rEAd 00	
4			

00	
01	
02	
03	
04	
06	
80	
81	

1

1		Pb 00	
2		Print	

2

1		Pb 00	
2	01	Pb 01	" 01"
3		d00.00.00	
4	120520	d12.05.20	12 5 20
5		Print	

3

1		Pb 00	
2	02	Pb 02	" 02"
3		A00.00.00	
4	40101	A12.05.20	12 5 20
5		d00.00.00	
6	40101	d12.05.20	12 5 20
7		Print	

4

1		Pb 00	
2	03	Pb 03	" 03"
3		o 00000	
4	00123	o 00123	" 00123"
5		Print	

5

1		Pb 00	
2	04	Pb 04	" 04"
3		hn * **	
4	123	hn 123	" 123"
5		Print	

6

1		Pb 00	
2	05	Pb 06	" 05"
3		bn * **	
4	123	bn 123	" 123"
5		Print	

1

rEAd 00

rEAd 1		rEAd 2	
rEAd 3		rEAd 4	
rEAd 6	/		
rEAd 9			
rEAd 11		rEAd 12	
rEAd 13		rEAd 14	
rEAd 19			

2

1		S-CodE	
2	111111	S-----	" 111111"
3		rEAd 00	
4	1	rEAd 01	1
5		no 0001	1 none end 1St
6	/	A12.05.31	1
7	/	s09.58.44	1
8	/	d12.05.31	1
9	/	t09.58.50	1
10	/	o 12345	1
11	/	hn 003	1
12	/	bn 006	1
13	/	G001.200	1
14	/	t000.200	1
15	/	N001.000	1
16	/	no 0001	1

5 12

Err 17

6

Err 17

1		S-CodE	
2	111112	S-----	" 111112"
3		Clear 0	1: 2: 3: 9:
		SurE 0	
4	1	SurE 1	

1	-----	
2	Print	
3	Load	
4	End	
5	PASS	
6	Lo bAt	

4

1~3

1		1	o *****	
2		00123	o 00123	00123
3			hn ***	
4		011	hn 011	011
5			bn ***	
		001	bn 001	001
			Print	

0



1		2	o *****	
2		00123	o 00123	
3			hn ***	
4		011	hn 011	

1		A5	A4
2		70g	200g
3			
4			
5		70g	80g
6			
7			