


# D2008



.....	1
.....	2
.....	2
.....	2
.....	2
.....	2
.....	2
.....	2
.....	2



于



柯力

D2008 (HF HFP HFP1)(0) +

RS485

12

30

9600 19200bps

DC12~14.8V

16

C E O

7 LED 7

0 - 9

24 10

RS232

600bps

RS232, RS485( D2008 (FJ+) )

1200/2400/4800/9600/19200

EPSON LQ-300K

EPSON LQ-300K EPSON

LQ-680K

EPSON LQ-730K

EPSON LQ-1600K

KX-P1131 KX-P1121

DS-300

POS58

AB-300K

P

\* φ 30 57mm P1

\* φ 40 44mm

1000

1500

300

6

AC110~220V 50~60HZ

DC 12V

0 ~ 40

-25 ~ 55

85%RH

A

0

B:

p\*\*\*\*\*

A

B

0

Pn

1			
2			
3	120515		
4			
5			
6			
7	125345		
8			
9			

1

2

3

5  
1500

00001-99999

1

2

2

00000

00000

5

3

0~255

1  
0

2

2

2

00000

2

1

2

5  
6  
7

Err 19 A  
0

a)  
b)  
c)

0

1. 1000 \*

1			
2			35790
3			1000( )
4			

2. >20d

1		<b>c</b>	
2	111111		111111
3		<b>c</b>	
4	6	<b>c</b>	6
5		<b>c</b>	( /1000)
6			1
7			
9			1

1  
2 1 2  
3  
4  
5 2  
LoAd  
0  
0

00	
01	
02	
03	
04	

1			
2			

1			
2	01		01
3			
4	120520		12 5 20
5			

3

1			
2	02		02
3			
4	40101		12 5 20
5			
6	40101		12 5 20
7			

1			
2	03		03
3			
4	00123		00123
5			

1			
2	04		04
3			
4	123		123
5			

c ,

c

<b>C</b>		<b>C</b>	
<b>C</b>		<b>C</b>	/
<b>C</b>		<b>C</b>	

1		<b>c</b>	



7	<b>C</b>	
8	<b>C</b>	
9	<b>C</b>	
10	<b>C</b>	n
11	<b>C</b>	

1		
2	<b>C</b>	"111111"
3	<b>C</b>	
4	<b>C</b>	

1				
2		1000		1.000
3				/
4		1 2		
5		00123		00123
6				
7		001		001
8				

1		1		
2		00123		00123
3				
4		011		

Auto

HL

L

( )

					(t)	(t)	(t)
0001	05	20	06	00001	003	2.003	1.003
0002	05	20	21	00123	004	1.000	0.000
0003	05	20	41	00001	010	1.000	0.900
0004	05	20	44	00001	001	1.000	0.900
0005	05	20	45	00001	050	1.000	0.900
0006	05	20	45	00002	06	1.000	0.900
						7.003 t	4.603

: D2008 (HF HFP HFP1)(O)



G

199

400-887-4165

0574-87562271

315033

<http://www.kelichina.com>

1		A5	A4
2		70g	200g
3			
4			
5		70g	80g
6			
7			

