

# D2008 type

Version: June. 2019

Rngcug tgc f vjku o cpwcn ectghwnn{ dghqtg wukpi

Rngcug mggr vjku o cpwcn rtqrgtn{ hqt tghgtgpeg



D2008type(D+) D2008type(DP+) D2008type(DP1+)

Eq o o wpkecvkqp o qfg TU6:7  
 Ukipcn vtcpu o kuukqp fkuvcpeg 52O y jgp eqppgevgf ykvj 34 nqcf egmmu.rnu eqpvcev wu kh {qw pggf  
 hwtvjgt  
 Vtcpu o kuukqp dcwf tevg ;822 3;422dru  
 Gzekvcvkqp rqygt FE34ø360:X  
 Fkikvcn kpvgt hceg cdnkvt { Ö38 fkikvcn nqcf egmmu  
 9 fkikvu qh NGF 9 fkikvu qh uvcvwu u{ o dqu

Pw odgt Mg{u 2 ø ;  
 Hwpevkqp mg{u 46 reu 32 qh 46 ctg eq o dkpgf ykvj Pw odgt mg{u

fkurnc{ {gct. o qpvj. fcvg. jqwt. okpwwg cpf ugeqpf. ngcr {gct cpf ngcr o qpvj cwwq o cvkecm{0

vtcpu o kuukqp o qfg< ewttgpn nqqr cpf TU454  
 Vtcpu o kuukqp dcwf tevg< 822dru

vtcpu o kuukqp o qfg< TU454  
 Dcwf tevg< Qrvkqpu qh 822134221462216:221;82213;422

Ykvj uvcpfctf retcmgn rtkpvkpi kpvgt hceg. y jkej ecp dg eqppgevgf ykvj vjg ykfg nkgp  
 rtkpvgtu . uwej cu GURQP NS/522M GURQP NS/522M GURQP  
 NS/522M .GURQP NS/8:2M GURQP NS/952M GURQP NS/3822M  
 MZ/R3353 MZ/R3343 FU/522

ecp uvqtg 3.222 itqwru qh xgjkeng pwodgtu cpf vctg ygkijv. 3722 itqwru pgy  
 ygkijkpi tgeqtfu. 522 itqwru wpeq o rnyvgf ygkijkpi tgeqtfu. 8 itqwru qxgtnqcf  
 tgeqtfu0

Rqygt kprww < CE332ø442X 72ø82J \  
 FE 34X  
 Qrgtcvkpi vgo rgtcvwtg< 2 ø 62  
 Uvqtcig vgo rgtcvwtg < /47 ø 77  
 Tgncvkg jw okfv{ < Ö:7 ' T J

403

Eqppgevg vq rqygt uwr rn{ cpf vwtp qp vjg rqygt uykvej0 Vjg kpfkecvqt dg ikpu ugnh/ejgemkpi0 Chvgt uweeguuhwn  
 ugnh/ejgemkpi. vjg kpfkecvqt gpvgtu vjg ygkijkpi uvcvwu0

Fwtkpi vjg uvctv/wr. kh vjg |gtq rqpku qhh/ugv dwv uknn kp vjg tcpig rtgugv. vjg kpfkecvqt yknn cwwq o cvkecm{0  
 Tghgt vq o cpwcn qh eckdtevkqp hqt vjg tcpig qh uvctv/wr |gtq ugvpki0

\gtq ugvpki hwpevkqp ku qpn{ xcnkf yjgp uvcdknkv{ nkijv ku qp0  
 Vjg mg{ yknn pqv yqtm yjgp vjg qhh/ugv ku qxgt vjg tcpig qh o cpwcn |gtq ugvpki0 Tghgt vq o cpwcn qh  
 eckdtevkqp hqt vjg tcpig qh uvctv/wr |gtq ugvpki0  
 Rtggu vjg mg{ cpf vjg kpfkecvqt yknn tgwtp vq |gtq cpf vjg |gtq nkijv yknn dg qp0

F42 qhhtu 4 v{rgu qh vctkpi0  
 Wpfgt vjg ygkijki uvcvwu0  
 C< Eq o oqp vctkpi<  
 Yjgp vjg ygkijv fcvv ku qxgt 2 cpf uvcdng. rtggu vjg mg{ cpf vjg xcnwg fkurnc{gf yknn dg fgfwegf cu  
 vctg ygkijv0 Cv vjku vkog. vjg kpfkecvqt yknn fkurnc{ xcnwg qh pgv ygkijv0 Vctg kpfkecvki nkijv yknn dg qp cpf  
 itquu kpfkecvki nkijv yknn dg qhh0  
 D< Rtgugv vjg vctg ygkijv  
 Rtggu vjg mg{ cpf vjg kpfkecvqt yknn fkurnc{ R, , , , , 0 Vjgp kprwv vjg vctg ygkijv. rtggu  
 cpf kpfkecvqt yknn fkurnc{ qtkikpen vctg ygkijv0

Vjgtg ctg 4 oqfgu<  
 C0 Wpfgt vjg uvcvwu qh vctkpi. rtggu vq enget vjg vctg ygkijv cpf vjg vctg kpfkecvki nkijv yknn dg qhh0  
 Vjku qrgtevkqp yknn dg nkokvgf d{ Rp rctcogvgt  
 D0 Rtggu ug vjg vctg ygkijv ku 20

steps	operation	display	explain
1	press CLOCK	d	Display the date
2	press number key	d	Modify the date
3	press 120515	d	Enter current dathe

pq wug vjg pwodgt+. \*rtguu ]ucxg 4\_ qt ]Ucxg 3\_ mg{+ qpg vkog cpf uvqtcig eqpukvwvg c eqo rnvvg ugv qh tgeqtfu0

Ygkijki vykeg ucxg\*rtguu ]Ucxg 4\_ mg{+< vjg hktuv gorv{ \*rtguu vjg ]Ucxg 4\_ mg{+ uvqtcig .vjgp hwnn qh ectu \*rtguu ucxg 4 mg{+ uvqtcig. qt vjg hktuv hwnn ect \* rtguu ucxg 4 mg{+ ucxg cpf vjgp gorv{ \*rtguu ]ucxg 4\_ mg{+ uvqtcig. yjkej ogcpu vjcv chvgt vyq \*rtguu ucxg 4 mg{+ ucxg yknn eqpukvwvg c eqo rnvvg ugv qh tgeqtfu0 Rtgau ]Ucxg 4\_ mg{ uvqtcig. kp qtfgt vq cwvqocvkecm{ kfgpvkh{ vjg fkuvkpevkqp dgvyggp cdqvg . vyq mkpfu qh uvqtcig. gurgekcm{ hqt vjg hqnnqykpi citgogpvu<

# Vjg xgjkengju nkegpug rncvg pwodgt owuv dg cp{ pwodgt dgvyggp 22223 cpf ; ; ; ;0 Vjcv ku vq uc{ 22222 ecp pqv dg wugf cu c tgcn xgjkeng nkegpug rncvg pwodgt0 Kh vjg nkegpug rncvg pwodgt ku ugv vq 22222 yjgp {qw eqog vq ygkijki c xgjkeng nqcfkpi c ectiq0 Cv vjku rqkpv vjg kpfkecvqt yknn dg uvqtgf kp ceeqtfcpeg ykvj vjg yc{0

# Kh vjg ukip qh vjg kpfkecvqt rggngf ku nkijvkpi. vctg mpqyp uvqtcig vkog yknn eqpukvwvg c eqo rnvvg tgeqtf0

6	press ENTER		show first vehicle number
7	press ENTER	<b>P</b>	show the checked vehicle tare
9	press ENTER		still show first vehicle number

Octmkuvgr 8 cpf 9:Rtguu CLEAN ,clear this vehicle tare; Press / ,check the front and back vehicle tare.

3 Rtkpvkpi retcogvt owuv dg ugv eqttgevn{ dghqtg rtkpvkpi0 \*Tghgt vq vjg rctv qh rtkpvkpi retcogvt ugwkpi qh vgejpkcn+ ocpwcn+

4 Vjg uvqtqi cpf rtkpvkpi qh vjg kpfkecvqt ctg uk o wncvpgquw0 Cv vjg ucog vkog yjgp c itqwr qh eqo rnvgt tgeqtf ku uvqtgf ykvj UCXG3 qt UCXG4 . kv yknn dg rtkpvgf qww0 \*Kh vjg rtkpvkpi ugwr ku ghgvevkg. pcogn{ vjg oqfng qh vjg rtkpvgt ku pqp/|gtq cpf rtkpvkpi yjng uvqtqi ku ugngevgf+

5 Kh vjg ygkijki tgeqtf ku pqv rtkpvgf uweeguuhwnn{ dgecwug qh uqog tgcupq \*gz0< rtkpvgt hcwnv+. chvgt vjg hcwnv ku gnk okpcvfg. rtguu TGRTKPV cpf rtkpv vjg tgeqtf uvqtgf ewttgpn{0

6 Kp vjg gpf qh c rgtkqf qh ygkijki. oc{ rtguu C0R vq rtkpv qww vjg ceew o wncvfg xcnwg0

7 Kh rtguu UCXG4 cpf wug vjg vyq/vkog uvqtci g \*nqcfgf chvgt go rv{. qt go rv{ chvgt nqcfgf+. fwtkpi vjg hktuv uvqtqi. dgecwug vjg tgeqtf ku pqv eqo rnvgt. vjg kpfkecvqt fkurnc{u NqCf hqt 307 ugeqpfu dwv fqu pqv rtkpv0 Jqygxt. kh rtguu TGRTKPV cv vjku vkog. vjg kpeqo rnvgt tgeqtf ecp uvknn dg rtkpvgf qww0 Vjg rtkpvkpi tguwnv ku cu dgnqy<

Ugtken pwodgt ku 2=-

I tquu ygkijv cpf pgv ygkijv ctg cnn 2=-

Vctg ygkijv ku vjg ygkijv xcnwg fkurnc{gf ewttgpn{0

Rctcogvt qt Hwpevkqp Eqfg	Rctcogvt qt Hwpevkqp V{rg
22	I gpgtcn Hqt o
23	Fgvckn Hqt o kp Egtvckp Fcvg
24	Fgvckn Hqt o fwtkpi Egtvckp Rgtkqf
25	Fgvckn Hqt o hqt Egtvckp Xgjknq Pq0
26	Fgvckn Hqt o hqt Egtvckp Ectiq Pq0

Uvgru	Qrgtcvkqp	Fkurnc{	Gzrncpvkqp
3	Rtguu Hqt o		Ejqqug vqvcn nkuv hqt o
4	Rtguu Gpvgt		Dgikp rtkpvkpi vjg hqt o0 Dcem vq vjg ygkijki uvcvwu chvgt rtkpvkpi

Uvgru	Qrgtcvkqp	Fkurnc{	Gzrncpvkqp
1	Rtguu Hqt o	<b>Pb</b>	
2	Press 01	<b>Pb</b>	press 01 choose some day detail list form
3			

6	press 40101	<b>A</b>	For example 2012-05-20
7	Rtguu Gpvgt		Dgikp rtkpvkpi vjg hqt o0 Dcem vq vjg ygki jkpi uvcvww chvgt rtkpvkpi

Uvgru	Qrgtcvkqp	Fkurnc{	Gzrncpcvkqp
1	Rtguu Hqt o	<b>Pb</b>	
2	press 03	<b>Pb</b>	press 03 choose vehicle NO. detail list form
3	press ENIER		Enter Vehicle number
4	press 00123		Vehicle number is 00123
5	Rtguu Gpvgt		Dgikp rtkpvkpi vjg hqt o0 Dcem vq vjg ygki jkpi uvcvww chvgt rtkpvkpi

Uvgru	Qrgtcvkqp	Fkurnc{	Gzrncpcvkqp
1	Rtguu Hqt o	<b>Pb</b>	
2	press 04	<b>Pb</b>	press 04 choose cargo NO. detail list form
3	press ENIER		Enter cargo number
4	press 123		Cargo number is 123
5	Rtguu Gpvgt		Dgikp rtkpvkpi vjg hqt o0 Dcem vq vjg ygki jkpi uvcvww chvgt rtkpvkpi

50803 Rtguu Ejgem vq ejgem vjg ogoqt{ eqpvppvu kp vjg kpfkecvqt d{ fkhgtgpv oqfgu0 Qrgtcvkqp ogvjqf ctg cu hqnnqyuc

Rtguu Ejgem wvfgt ygki jkpi uvcvww \*kh ejgem gpet{rv ku ugngevgf. vjg kpfkecvqt yknn fkurnc{ **S C dE** vq cum vq kprwv vjg rcuuyqtf0 Chvgt vjg rcuuyqtf ku rcuugf+ vjg kpfkecvqt yknn fkurnc{ vq cum vq gpvgt vjg kpswkt{ oqfg0

	Ejgem d{ Fcvg		Ejgem d{ Xgjkeng Pq0
	Ejgem d{ Ectiq Pq0		Ejgemlengct xgjkeng Pq00u vctg
<b>EAd</b>	check imperfect record by date	<b>EAd</b>	check imperfect record by vehicle number

Rtguu Gpvgt chvgt gpvgt vjg kpswkt{ oqfg cpf vjg kpfkecvqt yknn rtq o rv vq gpvgt vjg tgswktgf eqpfkvkqpu hqt vjg kpswkt{ uwej cu fcvg. xgjkeng pq0. ectiq pq0. ewuvqogt pq0. tgoctmu pq0 gve0 Chvgt vjcv kv yknn fkurnc{ vjg tgswktgf tgeqtfu qpg d{ qpg0 when check the complete and uncomplete record, the newest record will be displayed.

11	PRESS ENTER/		show first record tare
12	PRESS ENTER/	<b>A</b>	show first record net weight
13	PRESS ENTER/		Back to first record

Press **REPRINT**, it will display Err 17, otherwise, clear the weigh record. If press **REPRINT** will check the latest full weigh record, press **REPRINT** will check before full weigh record.

Step6: if press **REPRINT**, if the current weigh record still do not have **REPRINT**, it will display Err 17, otherwise will clean all weigh record for this date.

Uygr	Qrgtcvkqp	Fkurnc{	Gzrncpcvkqp
1	press CLEAN	<b>S C dE</b>	Enter code
2	press 111111	<b>S</b>	Fix code 111111
3	press ENTER	<b>S E</b>	Choose function number 1. Delete all complete record and uncompleted record 2. Delete all vehicle number tare 3. Delete all uncompleted record
4	press 1	<b>S E</b>	Choose to delete all complete record and uncompleted record
5	press ENTER	<b>PASS</b>	Deleting... finished, return to weighing display

Press **REPRINT**, it will display Err 17, otherwise will clean all weigh record for this date.

pwodgt	fkurnc{	Gzrncpcvkqp
3		ringcug yckv. vjg kppgt rctv qh kpfkecvqt ku wpfgt ecnewncvkpi. fqpov ocmg cp{ qrgtcvkqp
4		vjg fcvc ku eqppgevkpi dgvyggp kpfkecvqt cpf rtkpvgt0
5		vjg hktuv fcvc uvqtkpi dgvyggp vjg 4 vk o gu qh y gki jvkpi
6	<b>E d</b>	Operation end
7	<b>PASS</b>	Setting changed successfully
8	<b>L bA</b>	Low power, will power off
9		Voltage is under 10.2V, please recharge in time
:	<b>SAVE</b>	Data saving

pwodgt	fkurnc{	Gzrncpcvkqp
3	<b>E</b>	qxgtncfkipi yctkpi. owuv wpiqcf cmm qt rctv qh nqcfkipi0
4	<b>E</b>	pq tgeqtf wpfgt vjku eqpfkvkqp
5	<b>E</b>	uvqtkpi urceg ku hwmm ykvj xgjkeng pq0. ringcug fgngvg rctv qt cmm qh uvqtf vctg
6	<b>E</b>	ecp pqv rtkpv vjg hqt o qh tgeqtf d{ okpk rtkpvgt0qt RQU
7	<b>E</b>	Rctcogvgt ugwkpi fqgu pqv oggv tgswtgogpvu. ringcug tghgt vq vjg tgncvgf rctcogvgtu kprwv tciig
8	<b>E</b>	\gtq pgicvkxg ygki jkpi qt kpuvedknkv{ ecppqv rtkpv. fq pqv oggv dcem vq  gtq eqpfkvkqpu fqp) v rtkpv= Uvqtcig qh kprwv rctcogvgt pqv oggvu vjg tgswtgogpv= Fkuetgrcpe{  gtqu

		eqpfkvkqpu= Fq pqv eqphqt o vq vjg umkp eqpfkvkqp< wpuvedng pgicvkgxg= pq vctg kphqt o cvkqp y jgp ejgem xgjkeng pw odgt
9	<b>E</b>	vkog vq rqygt qhh
:	<b>E</b>	The testing time is end
;	<b>E</b>	Rtkpv fcvg qh vjg uvqtcig qh ygkijki nguu vjcp jcu vjg tgeqtf fcvg
32	<b>E</b>	
33	<b>ECC</b>	N load cell s communication wrong
34	<b>ECCP</b>	N digital load cell s communication and security is not available
35	<b>E P</b>	ptkpvgt eqppgevkqp gttqt. rtkpvgt gttqt qt rtkpvgt fklp}v jcxg rcrgt. rngcug cff rcrgt qt rtguu ygkijki mg{ vq gzkv

pw odgt	fkurnc{	Gzrncpcvkqp
	<b>S</b>	start work to zero
	<b>S C dE</b>	code"111111"
	<b>C C dE</b>	enter calibration code
	<b>d C dE</b>	enter trial deadline code

kp rtkpvki kp vjg eqpvtqn rctcogvgtu ejqqug pqv vq kprwv ect pw odgt. cpf oqpg{ qtfgt. hqt kp vjg qrgtcvkqp  
qh vjg eqttgurqpfkpi yknn rtkpv umkr uvgru. wug cv vjg ucog vkog vjg ewttgpn ogvgt ect pw odgt cpf oqpg{  
qtfgt ogoqt{ wkv qtkikpcn fcvc uvqtcig0 Kh kp vjg uvqtcig rtalgevu ejqqug pqv vq wug ect pw odgt qt oqpg{  
qtfgt. hqt kp vjg rtkpv qrgtcvkqp yjgp cnuq ecp umkr vjg eqttgurqpfkpi uvgru. cpf fq pqv uvqtcg cpf rtkpv vjg  
eqttgurqpfkpi rtalgev \*cu ujqyp kp vjg vgejpkcn urgekhecvkqpu ejcrvgt 8 cpf 8 Ugwkpiau+0

Uvgr			Fkurnc{	
3	Xgjkengu vq ygkij kp	Rtguu rtgugv		Vkr kprwv vctg ygkijv xcnwgu
4	kprwv vctg ygkijv xcnwg	kh vjg kprwv ]3222_		
5		Rtguu gpvgt		Ujqy vjg uecng itquulpgv ygkijv xcnwg. vq umkp HwNkcpin qiq0 Pqvg< cv vjku vkog vq uykvej vq fkurnc{ ogvgt pgv uvcvg *ceeqtfkpi vq vjg pgvlitquu ecp uykvej qxgt vjg ujqy uvcvg+0
6	Yckvkpi hqt uvcdknkv{	Rtguu Ucxg 3 QT Rtguu Ucxg 4		Fkurnc{ vjg qtkikpcn ect pw odgt0 Jkpv wugt kprwv pgy ect pw odgt0 Pqvg< kh wugt uvqtcig rtalgevu ejqqug pqv vq wug vjg ect pw odgt qt kp rtkpv eqpvtqn rctcogvgtu ejqqug pqv vq gpvgt kp vjg ect pw odgt *ugg ejcrvgt 5 \$rtkpv rctcogvgt Ugwkpiau\$ rctv+. vjku uvgr ku pqv kp vjg ujqy ect pw odgt cpf uwiiguvu vjg pgy ect pw odgt kprwv. fktgevn{ vq uvgr 8
7	kprwv xgjkeng pw odgt	HQT Rtguu 22345		
8		Rtguu gpvgt		Fkurnc{ vjg qtkikpcn ectiq pq0 cum vq wugt gpvgt pgy ectiq pw odgt

9	kprww oqpg{ qtfgt	HQT kprww 223		Ectiq pwodgt 223
:		Rtguu gpvgt		Rtkpv ygki jkpi nkuv0

3	Vjg iqqfu rqwpu. hqt uvedknkv{	Rtguu Ucxg 3		Fkurnc{ vjg qtkikpcn ect pwodgt0 Cum wugt kprww pgy xgjkeng pwodgt
4	kprww xgjkeng pwodgt	kprww 22345		Gpvgt xgjkeng pwodgt. uwej cu 22345
5		Rtguu gpvgt		Fkurnc{ vjg qtkikpcn ectiq pq0 cum vq wugt gpvgt pgy ectiq pwodgt
6	kprww oqpg{ qtfgt	HQT kprww 223 Rtguu gpvgt		
7				Rtkpv ygki jkpi nkuv0

3	Vjg gorv{ xgjkeng ku qp ygki jkpi. hqt uvedknkv{	Rtguu Ucxg 4	Fkurnc{	Fkurnc{ vjg qtkikpcn xgjkeng pwodgt0 cum wugt kprww pgy pwodgt0
4	kprww ect pwodgt	kprww 22345		Kh vjg pgy pwodgt ku vjg ucog ykvj dghqtg xgjkeng pwodgt. fq pqv pggf vq gpvgt pgy qpg0
5		Rtguu gpvgt		Fkurnc{ vjg qtkikpcn ectiq pq0 cum wugt kprww pgy ectiq pq0
6	kprww oqpg{ qtfgt	HQT kprww 223		
7		Rtguu gpvgt		dcem vq ygki jkpi uvcvg chvgt 307 ugeqpfu
8	Jgcx{ xgjkeng ku qp ygki jkpi. hqt uvedknkv{	Rtguu Ucxg4		Fkurnc{ vjg qtkikpcn ect pwodgt0 cum wugt kprww vjg xgjkeng pwodgt vjg ucog cu \$uvgr 4\$
9		Rtguu gpvgt		Fkurnc{ vjg qtkikpcn ect pwodgt0 cum wugt kprww vjg xgjkeng pwodgt vjg ucog cu \$uvgr 6\$
		Rtguu gpvgt		Rtkpv ygki jkpi nkuv

**B c a A**

calibration manual Chapter 6,section 6.,set Quto, Return to zero HL and minimum print weigh L

$$Dtgemfqp * vqvcn+$$

Pq0	Fcvg	Vkog	Xgjkeng Pq0	Ectiq Pq0	I0Y0 *v+	Vctg *v+	P0Y0 *v+
2223	27	42	28	22223	225	40225	30222
2224	27	42	43	22345	226	30222	30222
2225	27	42	63	22223	232	30222	20322

2226	27	42	66	22223	223	30222	20322	20;22
2227	27	42	67	22223	272	30222	20322	20;22
2228	27	42	67	22224	28	30222	20322	20;22
Vqvcn					I0Y0	90225 v	P0Y0	60825

Applicable model D2008type(D+) D2008type(DP+) D2008type(DP1+)